	8' x 30"	8' x 36"	10' x 30"	10' x 36"	12' x 30"	12' x 42"	14' x 30"	14' x 42"	16' x 30"	16' x 42"
Moldboard	Powder-C	Powder-C								
Options	oated	oated								
:	Steel	Steel								
Blade	Pusher	Pusher								
Туре										
Vehicle	Skid-Steer	Tractor /	Skid-Steer	Tractor /	Compact	Wheel	Compact	Wheel	Compact	Wheel
Compatibil		Wheel		Wheel	Wheel	Loader	Wheel	Loader	Wheel	Loader
ity		Loader		Loader	Loaders,		Loaders,		Loaders,	
					Wheel		Wheel		Wheel	
					Loaders		Loaders		Loaders	
					(9,000-25,		(9,000-25,		(9,000-25,	
					000 lb),		000 lb),		000 lb),	
					Skid		Skid		Skid	
					Steers		Steers		Steers	
					(9,000		(9,000		(9,000	
					lb+),		lb+),		lb+),	
					Tractors		Tractors		Tractors	
Approx.	2,127 lb	2,221 lb	2,249 lb	2,377 lb	2,544 lb	2,644 lb	2,911 lb	3,080 lb	3,145 lb	3,304 lb
Weight*										
(Without										
Mount)										
Horsepow 4	45+ hp	40+ hp	60+ hp	50+ hp	40+ hp	100+ hp	40+ hp	140+ hp	40+ hp	140+ hp
er	(Skid-Stee	(Tractor)	(Skid-Stee	(Tractor)	(Tractor)	(Wheel	(Tractor)	(Wheel	(Tractor)	(Wheel
Compatibil	r)	& 60+ hp	r)	& 60+ hp	60+ hp	Loader &	60+ hp	Loader &	60+ hp	Loader &
ity		(Wheel		(Wheel	(Wheel	Backhoe)	(Wheel	Backhoe)	(Wheel	Backhoe)
		Loader &		Loader &	Loader)		Loader)		Loader)	
		Backhoe)		Backhoe)						
Blade	8'	8'	10'	10'	12'	12'	14'	14'	16'	16'
Width										
Blade 3	30"	36"	30"	36"	30"	42"	30"	42"	30"	42"
Height										
Side Plate	36"	36"	36"	36"	36"	36"	36"	36"	36"	36"
Width										
Side Plate	30"	36"	30"	36"	30"	42"	30"	42"	30"	42"
Height										
Moldboard 2	27"	27"	27"	27"	27"	46"	27"	46"	27"	46"
Radius										
	75 cu ft	108 cu ft	94 cu ft	135 cu ft	113 cu ft	219 cu ft	132 cu ft	255 cu ft	151 cu ft	291 cu ft
Snow										

Quality of	TDAOF	TDAOF	TDAOF		TDAOE	TDAOF	TDAOE		TDAOE	
Cutting	TRACE	TRACE	TRACE	TRACE	TRACE	TRACE	TRACE	TRACE	TRACE	TRACE
Edge	Terrain	Terrain	Terrain	Terrain	Terrain	Terrain	Terrain	Terrain	Terrain	Terrain
Technolog	Response	Response	Response	Response	Response	Response	Response	Response	Response	Response
у	Advanced	Advanced	Advanced	Advanced	Advanced	Advanced	Advanced	Advanced	Advanced	Advanced
	Cutting	Cutting	Cutting	Cutting	Cutting	Cutting	Cutting	Cutting	Cutting	Cutting
	Edge	Edge	Edge	Edge	Edge	Edge	Edge	Edge	Edge	Edge
Cutting	High-Carb	High-Carb	High-Carb	High-Carb	High-Carb	High-Carb	High-Carb	High-Carb	High-Carb	High-Carb
Edge	on Steel	on Steel	on Steel	on Steel	on Steel	on Steel	on Steel	on Steel	on Steel	on Steel
Material	With	With	With	With	With	With	With	With	With	With
	Carbide	Carbide	Carbide	Carbide	Carbide	Carbide	Carbide	Carbide	Carbide	Carbide
	Inserts	Inserts	Inserts	Inserts	Inserts	Inserts	Inserts	Inserts	Inserts	Inserts
Mount	Skid-Steer	Skid-Steer	Skid-Steer	Skid-Steer	Coupler	Coupler	Coupler	Skid-Steer	Coupler	Coupler
Туре	Attach	Attach	Attach	Attach				Attach		
	Plate	Plate /	Plate	Plate /				Plate /		
		Coupler		Coupler				Coupler		

Metric	8' x 30"	8' x 36"	10' x 30"	10' x 36"	12' x 30"	12' x 42"	14' x 30"	14' x 42"	16' x 30"	16' x 42"
Models	8' x 30"	8' x 36"	10' x 30"	10' x 36"	12' x 30"	12' x 42"	14' x 30"	14' x 42"	16' x 30"	16' x 42"
Moldboard	Powder-C	Powder-C								
Options	oated	oated								
	Steel	Steel								
Blade	Pusher	Pusher								
Туре										
Vehicle	Skid-Steer	Tractor /	Skid-Steer	Tractor /	Compact	Wheel	Compact	Wheel	Compact	Wheel
Compatibil		Wheel		Wheel	Wheel	Loader	Wheel	Loader	Wheel	Loader
ity		Loader		Loader	Loaders,		Loaders,		Loaders,	
					Wheel		Wheel		Wheel	
					Loaders		Loaders		Loaders	
					(9,000-25,		(9,000-25,		(9,000-25,	
					000 lb),		000 lb),		000 lb),	
					Skid		Skid		Skid	
					Steers		Steers		Steers	
					(9,000		(9,000		(9,000	
					lb+),		lb+),		lb+),	
					Tractors		Tractors		Tractors	
Approx.	964.63 kg	1,007.26	1,019.95	1,078.00	1,156.4 kg	1,199.09	1,323.2 kg	1,397 kg	1,429.5 kg	1,499 kg
Weight*		kg	kg	kg		kg				
(Without										
Mount)										
Horsepow	45+ hp	40+ hp	60+ hp	50+ hp	40+ hp	100+ hp	40+ hp	140+ hp	40+ hp	140+ hp
er	(Skid-Stee	(Tractor)	(Skid-Stee	(Tractor)	(Tractor)	(Wheel	(Tractor)	(Wheel	(Tractor)	(Wheel
Compatibil	r)	& 60+ hp	r)	& 60+ hp	60+ hp	Loader &	60+ hp	Loader &	60+ hp	Loader &
ity		(Wheel		(Wheel	(Wheel	Backhoe)	(Wheel	Backhoe)	(Wheel	Backhoe)
		Loader &		Loader &	Loader)		Loader)		Loader)	
		Backhoe)		Backhoe)						
Blade	2.44 m	2.44 m	3.05 m	3.05 m	3.66 m	3.66 m	4.27 m	4.27 m	4.88 m	4.88 m
Width										

PILE DRIVER (TRACE)

Blade	76.2 cm	91.44 cm	76.2 cm	91.44 cm	76.20 cm	106.68 cm	76.20 cm	106.68 cm	76.20 cm	106.68 cm
Height										
Side Plate	91.44 cm	91.44 cm	91.44 cm	91.44 cm	91.44 cm	91.44 cm	91.44 cm	91.44 cm	91.44 cm	91.44 cm
Width										
Side Plate	76.2 cm	91.44 cm	76.2 cm	91.44 cm	76.20 cm	106.68 cm	76.20 cm	106.68 cm	76.20 cm	106.68 cm
Height										
Moldboard	68.58 cm	68.58 cm	68.58 cm	68.58 cm	68.58 cm	116.84 cm	68.58 cm	116.84 cm	68.58 cm	116.84 cm
Radius										
Approx.	2.14 cu m	3.06 cu m	2.68 cu m	3.82 cu m	3.20 cu m	6.19 cu m	3.73 cu m	7.2 cu m	4.28 cu m	8.3 cu m
Snow										
Capacity										
Cutting	TRACE	TRACE	TRACE	TRACE	TRACE	TRACE	TRACE	TRACE	TRACE	TRACE
Edge	Terrain	Terrain	Terrain	Terrain	Terrain	Terrain	Terrain	Terrain	Terrain	Terrain
Technolog	Response	Response	Response	Response	Response	Response	Response	Response	Response	Response
у	Advanced	Advanced	Advanced	Advanced	Advanced	Advanced	Advanced	Advanced	Advanced	Advanced
	Cutting	Cutting	Cutting	Cutting	Cutting	Cutting	Cutting	Cutting	Cutting	Cutting
	Edge	Edge	Edge	Edge	Edge	Edge	Edge	Edge	Edge	Edge
Cutting	High-Carb	High-Carb	High-Carb	High-Carb	High-Carb	High-Carb	High-Carb	High-Carb	High-Carb	High-Carb
Edge	on Steel	on Steel	on Steel	on Steel	on Steel	on Steel	on Steel	on Steel	on Steel	on Steel
Material	With	With	With	With	With	With	With	With	With	With
	Carbide	Carbide	Carbide	Carbide	Carbide	Carbide	Carbide	Carbide	Carbide	Carbide
	Inserts	Inserts	Inserts	Inserts	Inserts	Inserts	Inserts	Inserts	Inserts	Inserts
Mount	Skid-Steer	Skid-Steer	Skid-Steer	Skid-Steer	Coupler	Coupler	Coupler	Skid-Steer	Coupler	Coupler
Туре	Attach	Attach	Attach	Attach				Attach		
	Plate	Plate /	Plate	Plate /				Plate /		
		Coupler		Coupler				Coupler		

*Does not include vehicle mount. Please refer to the Quick Match program for specific vehicle applications.